

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	817038	(windows ports (second adj3 (port window)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 13:41
L3	2418025	(seal\$4 hermetic\$4 (airtight\$4 (air adj1 tight\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:41
L4	2004	385/88.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:41
L5	844	385/89.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:41
L6	1481	385/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:41
L8	50	L2 same L3 and (L4 L5 L6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 13:42
S1	3	"6731424"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:57
S2	2	"20030031430"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:51

S3	6192110	substrate base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:58
S4	344598	(electro adj1 optic\$2) (electr\$4 with optic\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:59
S6	166619	((air adj1 tight) airtight hermetic\$4) with seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 15:59
S8	1891892	input\$4 same output\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:00
S9	1957	S3 and S4 and S6 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 16:11
S10	50	(S3 same S8) and (S4 with S6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 17:54
S11	4	(("6416238") or ("20040022476") or ("5848210") or ("6381066")).PN.	US-PGPUB; USPAT	OR	OFF	2005/08/17 17:55
S12	6192110	substrate base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 17:56
S13	344598	(electro adj1 optic\$2) (electr\$4 with optic\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 17:56

S14	166619	((air adj1 tight) airtight hermetic\$4) with seal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 17:56
S15	1891892	input\$4 same output\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 17:56
S16	50	(S12 same S15) and (S13 with S14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 17:56
S17	20	S16 and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 18:41
S18	49714	S15 same (window transparent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:05
S19	103	S12 same S13 and S14 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/17 19:06
S20	28432	(photodetect\$3 ((photo light) adj1 (receiv\$3 detect\$3)) photodiode (photo adj1 diode)) with substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:07
S21	1065	S20 and (hermetic\$4 (airtight\$4 (air adj1 tight\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:18

S23	502	S21 and (window port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:18
S24	321346	(hermetic\$4 (airtight\$4 (air adj1 tight\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:43
S25	2137560	(window port)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:19
S26	40	S20 same S24 same S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:28
S27	54	(S20 same S24) and (S24 same S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:32
S28	14	S27 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:32
S29	15	"6220765"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:32
S30	2	"6220765".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:32

S31	123915	electroptic\$4 (electr\$4 adj1 optic\$4) optoelectric\$4 (optic\$4 adj1 electric\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:34
S32	158	(S31 same S24) and (S24 same S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:42
S33	2070767	(laser LED (optic\$2 light) near3 (source emit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:44
S34	80	(S31 same S24) and (S24 same S25) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:34
S35	17621	(electroptic\$4 (electr\$4 adj1 optic\$4) optoelectric\$4 (optic\$4 adj1 electric\$5)) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:34
S36	50	(S35 same S24) and (S24 same S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:41
S37	26	S36 and (windows (second adj3 window))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:43
S38	132	(S35 same S24) and (S24 same seal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:41

S39	576	(S31 same S24) and (S24 same seal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:42
S40	816369	(windows ports (second adj3 (port window)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 18:46
S41	2416924	(seal\$4 hermetic\$4 (airtight\$4 (air adj1 tight\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:45
S42	17621	(electroptic\$4 (electr\$4 adj1 optic\$4) optoelectric\$4 (optic\$4 adj1 electric\$5)) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:44
S44	212465	(laser LED (optic\$2 light) near3 (source emit\$4)) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:44
S46	28432	(photodetect\$3 ((photo light) adj1 (receiv\$3 detect\$3)) photodiode (photo adj1 diode)) with substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 18:46
S47	185	S40 same S41 same (S42 S46 S44)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 13:41
S48	253	385/86.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:07

S49	2004	385/88.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:07
S50	844	385/89.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:07
S51	1481	385/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:07
S52	447	385/94.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 13:07

Day : Thursday
 Date:
 8/25/2005
 Time:
 15:41:24

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = MINK

First Name = JAN

no PP
cont.

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>60421440</u>	Not Issued	159	10/25/2002	HERMETICALLY SEALED PACKAGE FOR AN ELECTRO-OPTIC DEVICE	MINK, JAN
<u>10982489</u>	Not Issued	041	11/05/2004	HERMETICALLY SEALED PACKAGE FOR AN ELECTRO-OPTIC DEVICE	MINK, JAN
<u>10694256</u>	Not Issued	071	10/27/2003	HERMETICALLY SEALED PACKAGE FOR AN ELECTRO-OPTIC DEVICE	MINK, JAN
<u>10336182</u>	<u>6939059</u>	150	01/03/2003	METHOD AND SYSTEM FOR OPTICAL PACKAGING	MINK, JAN
<u>09157229</u>	Not Issued	161	09/18/1998	DISABLED PERSON'S WEARING APPAREL	MINKS, JANICE R.
<u>09157228</u>	Not Issued	161	09/18/1998	WALKING IMPAIRED SHOE COVER	MINKS, JANICE R.
<u>08743165</u>	<u>5727255</u>	250	11/04/1996	CLOTHING FOR PHYSICALLY IMPAIRED	MINKS, JANICE R.
<u>07304894</u>	<u>4870650</u>	150	01/30/1989	SEMICONDUCTOR LASER HAVING A BOUNDARY-REGION ABSORPTION LAYER	MINK, JAN
<u>07123696</u>	Not Issued	166	11/23/1987	SEMICONDUCTOR LASER AND METHOD OF MANUFACTURING SAME	MINK, JAN
<u>06773722</u>	Not Issued	161	09/09/1985	RADIATION-SOURCE DEVICE	MINK, JAN
<u>06568260</u>	<u>4549757</u>	250	01/04/1984	BUMPER	MINKHORST, JAN H.K.

06300265	D276004	150	09/08/1981	FOLDABLE JEWELRY HOLDER AND DISPLAY CASE	MINK, JAN B.
06297943	4401219	250	08/31/1981	APPARATUS AND METHOD FOR HOLDING JEWELRY	MINK, JAN B.

Inventor Search Completed: No Records to Display.

Last Name	First Name	
Search Another: Inventor <input type="text" value="MINK"/>	<input type="text" value="JAN"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page